

LETTER TO THE EDITOR

# Two distinct halo populations in the solar neighborhood <sup>★</sup>

## Evidence from stellar abundance ratios and kinematics

P.E. Nissen<sup>1</sup> and W.J. Schuster<sup>2</sup>

<sup>1</sup> Department of Physics and Astronomy, University of Aarhus, DK-8000 Aarhus C, Denmark. e-mail: [pen@phys.au.dk](mailto:pen@phys.au.dk)

<sup>2</sup> Observatorio Astronómico Nacional, Universidad Nacional Autónoma de México, Apartado Postal 877, C.P. 22800 Ensenada, B.C., México. e-mail: [schuster@astrosen.unam.mx](mailto:schuster@astrosen.unam.mx)

Received 15 December 2009 / Accepted 18 February 2010

### ABSTRACT

**Aims.** Precise abundance ratios are determined for 94 dwarf stars with  $5200 < T_{\text{eff}} < 6300$  K,  $-1.6 < [\text{Fe}/\text{H}] < -0.4$ , and distances  $D \lesssim 335$  pc. Most of them have halo kinematics, but 16 thick-disk stars are included.

**Methods.** Equivalent widths of atomic lines are measured from VLT/UVES and NOT/FIES spectra with resolutions  $R \simeq 55\,000$  and  $R \simeq 40\,000$ , respectively. An LTE abundance analysis based on MARCS models is applied to derive precise differential abundance ratios of Na, Mg, Si, Ca, Ti, Cr, and Ni with respect to Fe.

**Results.** The halo stars fall into two populations, clearly separated in  $[\alpha/\text{Fe}]$ , where  $\alpha$  refers to the average abundance of Mg, Si, Ca, and Ti. Differences in  $[\text{Na}/\text{Fe}]$  and  $[\text{Ni}/\text{Fe}]$  are also present with a remarkably clear correlation between these two abundance ratios.

**Conclusions.** The ‘high- $\alpha$ ’ stars may be ancient disk or bulge stars ‘heated’ to halo kinematics by merging satellite galaxies or they could have formed as the first stars during the collapse of a proto-Galactic gas cloud. The kinematics of the ‘low- $\alpha$ ’ stars suggest that they have been accreted from dwarf galaxies, and that some of them may originate from the  $\omega$  Cen progenitor galaxy.

**Key words.** Stars: abundances – Stars: kinematics – Galaxy: halo – Galaxy: formation

## 1. Introduction

Studies of stellar populations are of high importance for understanding the formation and evolution of the Milky Way. In this context, it has been discussed whether the Galactic halo consists of more than one population. The monolithic collapse model of Eggen et al. (1962) corresponds to a single population, but from a study of globular clusters, Searle and Zinn (1978) suggested that the halo contains two populations: *i*) an inner, old, flattened population with a slight prograde rotation formed during a dissipative collapse, and *ii*) an outer, younger, spherical population accreted from dwarf galaxies. The presence of this dichotomy was supported by a study of  $\sim 20\,000$  stars in the SDSS survey performed by Carollo et al. (2007).

Elemental abundances of stars in the solar neighborhood may provide additional information about the halo populations. In this context, the ratio  $[\alpha/\text{Fe}]$ , where  $\alpha$  refers to the average abundance of Mg, Si, Ca, and Ti, is of particular interest. The  $\alpha$ -elements are produced mainly during Type II supernovae (SNe) explosions on a short timescale ( $\sim 10^7$  years), whereas iron is also produced by Type Ia SNe on a much longer timescale ( $\sim 10^9$  years). Hence,  $[\alpha/\text{Fe}]$  can be used as a ‘clock’ to probe the star formation history of a Galactic component.

Several previous studies have focused on the possible differences in  $[\alpha/\text{Fe}]$  for stars in the solar neighborhood. Fulbright (2002), Stephens & Boesgaard (2002), and Gratton et al. (2003) all find evidence that stars associated with the outer halo have lower  $[\alpha/\text{Fe}]$  than stars connected to the inner halo. The differences in  $[\alpha/\text{Fe}]$  found in these studies are, however, not larger than 0.1 dex, and it is unclear whether the distribution of  $[\alpha/\text{Fe}]$  is continuous or bimodal. Nissen & Schuster (1997) achieved a higher precision measurement of  $[\alpha/\text{Fe}]$  and found evidence of a bimodal distribution of  $[\alpha/\text{Fe}]$  for 13 halo stars with  $-1.3 < [\text{Fe}/\text{H}] < -0.4$ , but a larger sample of these ‘metal-rich’ halo stars needs to be observed to confirm these findings and study possible correlations with kinematics. In this Letter, we present the first results of such a study.

## 2. Sample selection and observed spectra

Stars were selected from the Schuster et al. (2006) *uvby- $\beta$*  catalogue of high-velocity and metal-poor stars. To ensure that a star has a high probability of belonging to the halo population, the total space velocity,  $V_{\text{total}}$ , with respect to the local standard of rest (LSR) was constrained to be larger than  $180 \text{ km s}^{-1}$  (Venn et al. 2004). Furthermore, the Strömgren indices ( $b-y$ ),  $m_1$  and  $c_1$  were used to select dwarfs and subgiants with  $5200 < T_{\text{eff}} < 6300$  K and  $[\text{Fe}/\text{H}] \gtrsim -1.6$ . This produced a list of about 200 stars, of which 37 have VLT/UVES spectra available in the ESO/ST-ECF Science Archive (Table 1). Furthermore,

<sup>★</sup> Based on observations made with the Nordic Optical Telescope on La Palma, and on data from the European Southern Observatory ESO/ST-ECF Science Archive Facility.

16 stars with thick-disk kinematics and UVES spectra were included. In addition, 53 randomly selected stars were observed with the Fibre fed Echelle Spectrograph (FIES) at the Nordic Optical Telescope (NOT) (Table 2). Six were found to be double-lined spectroscopic binaries and excluded. All FIES stars and most of the UVES stars are brighter than  $V = 11.1$ , three having  $V = 11.2$ ,  $12.2$ , and  $12.8$ . The average distance is 115 pc with  $D_{\max} = 335$  pc.

The UVES spectra cover the spectral region 4800 - 6800 Å and have resolutions  $R \simeq 55\,000$  and signal-to-noise ratios ( $S/N$ ) from 250 to 500. The FIES spectra range from 4000 to 7000 Å, but only the 4700 - 6400 Å region was employed, with a resolution  $R \simeq 40\,000$  and  $S/N \simeq 140 - 200$ . The majority of the UVES stars had reduced spectra available in the archive, but for stars observed with an image slicer, the raw data were reduced using the echelle package in IRAF. The FIES data were handled by **FIEStool**, a data reduction package developed by E. Stempels.


Equivalent widths (EWs) of 130 to 180 atomic lines were measured for each star. The large majority of the lines have EWs between 2 and 90 mÅ. For six stars, both UVES and FIES spectra are available. The average EW difference (FIES - UVES) is 0.6 mÅ with a rms deviation of 1.3 mÅ.

### 3. Stellar parameters and abundances

Element abundances are derived from EWs using the Uppsala EQWIDTH program together with model atmospheres interpolated from the new MARCS grid (Gustafsson et al. 2008). Two sets of models are available with different values of  $[\alpha/\text{Fe}]$ , which makes it possible to interpolate to a model having the same  $[\alpha/\text{Fe}]$  as the star. Local thermodynamic equilibrium (LTE) is assumed in the line calculations, and line broadening caused by microturbulence,  $\xi_{\text{turb}}$ , and collisional damping is included.

The abundance analysis is performed differentially with respect to two bright thick-disk stars, HD 22879 and HD 76932. Their effective temperatures are determined from  $(b-y)$  and  $(V-K)$  using the calibrations of Ramírez & Meléndez (2005). Surface gravities are derived from Hipparcos parallaxes as described by Nissen et al. (2004), and chemical abundances from a differential analysis with respect to the Sun, using a subset of  $\sim 80$  lines, which are relatively unblended in the solar flux spectrum of Kurucz et al. (1984). In an ‘inverted’ abundance analysis, the data from the star-Sun analysis are then used to determine  $gf$ -values for the whole set of  $\sim 180$  lines. These  $gf$ -values are applied for the abundance analysis of all program stars.

We then determine  $T_{\text{eff}}$  so that the  $[\text{Fe}/\text{H}]$  derived from the Fe I lines is independent of excitation potential. As the Fe I lines are also used to determine  $\xi_{\text{turb}}$  by minimizing the dependence of  $[\text{Fe}/\text{H}]$  on EW, iteration is needed to obtain consistent values of  $T_{\text{eff}}$  and  $\xi_{\text{turb}}$ . We estimate a differential error of  $\sigma(T_{\text{eff}}) = \pm 30$  K by comparing  $T_{\text{eff}}$  values derived from the Fe I excitation balance with those inferred from  $(b-y)$  and  $(V-K)$  colors for a subset of 44 nearby stars that appear to be unreddened according to the absence of interstellar NaD lines. The surface gravity is estimated by ensuring that Fe I and Fe II lines provide consistent Fe abundances. Comparison of these spectroscopic gravities with values determined from Hipparcos parallaxes for the nearby stars shows that  $\log g$  is determined differentially to a precision of 0.05 dex.




**Fig. 1.**  $[\text{Mg}/\text{Fe}]$  and  $[\alpha/\text{Fe}]$  versus  $[\text{Fe}/\text{H}]$ . Crosses refer to thick-disk stars and circles to halo stars observed with UVES. Triangles indicate halo stars with FIES spectra. Halo stars above the long-dashed line in the  $[\text{Mg}/\text{Fe}]$  diagram are defined as belonging to the high- $\alpha$  population and are indicated by open (blue) symbols. The stars below the long-dashed line are defined to be low- $\alpha$  stars and are shown with filled (red) symbols. Based on  $[\text{Mg}/\text{Fe}]$ , this classification is maintained in all the following figures. The components of a visual binary star, G 112-43 and G 112-44, are connected by a straight line.

The derived abundance ratios of Na, Mg, Si, Ca, Ti, Cr, and Ni with respect to Fe are given in Tables 3 and 4. All abundance ratios are based on neutral lines. The numbers of the lines applied are Na I 2-5, Mg I 1-2, Si I 5-10, Ca I 6-9, Ti I 9-14, Cr I 4-7, Fe I 70-92, Fe II 14-16, and Ni I 20-27, where the first number refers to the most metal-poor stars, and the last to the most metal-rich.

The errors in the abundance ratios were estimated by comparing results obtained from UVES and FIES spectra for the six stars observed with both instruments (see Tables 3 and 4). The spectra of these stars have typical  $S/N$ , except HD 189558 that has an unusually high quality FIES spectrum ( $S/N \simeq 350$ ). This comparison shows that differential values of  $[\text{Fe}/\text{H}]$ ,  $[\text{Na}/\text{Fe}]$ ,  $[\text{Mg}/\text{Fe}]$ , and  $[\text{Si}/\text{Fe}]$  are determined to a  $1-\sigma$  precision of 0.03 to 0.04 dex, whereas the precision of  $[\text{Ca}/\text{Fe}]$ ,  $[\text{Ti}/\text{Fe}]$ ,  $[\text{Cr}/\text{Fe}]$ , and  $[\alpha/\text{Fe}]$  is about 0.02 dex. The error in  $[\text{Ni}/\text{Fe}]$  is as small as 0.01 dex, because of the many Fe I and Ni I lines available. We note that errors in the abundance ratios caused by errors in  $T_{\text{eff}}$  and  $\log g$  are small compared to errors induced by the EW measurements, because all ratios are derived from neutral atomic lines with similar sensitivity to  $T_{\text{eff}}$  and  $\log g$ .

Figure 1 shows  $[\text{Mg}/\text{Fe}]$  and  $[\alpha/\text{Fe}]$  as a function of  $[\text{Fe}/\text{H}]$ . We note that there are no systematic offsets between the UVES and the FIES data. The corresponding figure for  $[\text{Si}/\text{Fe}]$ ,  $[\text{Ca}/\text{Fe}]$ , and  $[\text{Ti}/\text{Fe}]$  is shown in the Online Section. As can be seen, the halo stars consist of two distinct populations, the ‘high- $\alpha$ ’ stars with a nearly constant  $[\alpha/\text{Fe}]$  and the ‘low- $\alpha$ ’ stars with a declining  $[\alpha/\text{Fe}]$  as a function of increasing metallicity. A classification into these two populations was performed on the basis of  $[\text{Mg}/\text{Fe}]$ . In



**Fig. 2.**  $[\text{Ni}/\text{Fe}]$  versus  $[\text{Na}/\text{Fe}]$  with the same symbols as in Fig. 1. The linear fit does not include the two Na-rich stars.

the range  $-1.6 < [\text{Fe}/\text{H}] < -1.4$ , the two populations tend to merge, and the classification is less clear. The high- $\alpha$  and low- $\alpha$  halo populations also separate well in  $[\text{Na}/\text{Fe}]$  and  $[\text{Ni}/\text{Fe}]$  with the exceptions of two Na-rich stars. The abundance differences can be seen directly from the observed spectra as shown in the Online Section.


The scatter in the abundance ratios for the high- $\alpha$  and thick-disk stars relative to the best-fit linear relations is 0.032 dex for  $[\text{Mg}/\text{Fe}]$  and 0.030 dex for  $[\alpha/\text{Fe}]$ . This is similar to the estimated errors of the analysis. For the low- $\alpha$  stars, there are, however, abundance differences from the trends that cannot be explained by the errors alone, especially in the case of  $[\text{Na}/\text{Fe}]$  and  $[\text{Ni}/\text{Fe}]$ . The clear correlation between these ratios (Fig. 2) confirms that cosmic variations in these ratios are present at a given  $[\text{Fe}/\text{H}]$ .

#### 4. Kinematics

To calculate the stellar space velocities, we acquired proper motions from the Tycho-2 catalogue (Høg et al. 2000, 88 stars), the new reduction of the Hipparcos data (van Leeuwen 2007, 4 stars), and the revised NLTT (Salim & Gould 2003, 2 stars). Distances of stars were calculated from the parallaxes of van Leeuwen (2007), when the errors in these are less than 10%, and if not, from the photometric absolute magnitude calibration by Schuster et al. (2004, 2006). The radial velocities of the stars were derived from our own spectra and have errors of  $\pm 0.3 \text{ km s}^{-1}$ .

With these data as input, the formulae and matrix equations of Johnson & Soderblom (1987) were used to calculate the Galactic velocity components ( $U, V, W$ ) and their errors. Correction for a solar motion of  $(+7.5, +13.5, +6.8) \text{ km s}^{-1}$  with respect to the LSR was adopted from Francis & Anderson (2009). The resulting values of  $U_{\text{LSR}}$ ,  $V_{\text{LSR}}$ , and  $W_{\text{LSR}}$  are given in Tables 3 and 4. The average errors of these velocities for the halo stars are  $(\pm 12, \pm 16, \pm 9) \text{ km s}^{-1}$  with a major contribution from the error in the distances.

Figure 3 shows the Toomre diagram for the thick-disk and halo stars that could be clearly classified as belonging to either the high- $\alpha$  or the low- $\alpha$  population. Assuming Gaussian velocity distributions with canonical dispersions and asymmetric drifts for the thin-disk, thick-disk, and halo populations, stars with  $V_{\text{total}} > 180 \text{ km s}^{-1}$  generally have a high probability of belonging to the halo population (Venn et al. 2004). If, on the other hand, the velocity distribution of the thick disk is non-Gaussian with an extended tail toward high velocities, as in the model of the Galactic disks



**Fig. 3.** Toomre diagram for stars with  $[\text{Fe}/\text{H}] > -1.4$ . High- $\alpha$  halo stars are shown with open (blue) circles, low- $\alpha$  halo stars with filled (red) circles, and thick-disk stars with crosses. The long-dashed line corresponds to  $V_{\text{total}} = 180 \text{ km s}^{-1}$ . The short-dashed line indicates zero rotation in the Galaxy.

by Schönrich & Binney (2009), then the high- $\alpha$  stars with  $180 < V_{\text{total}} < 210 \text{ km s}^{-1}$  might belong to the thick-disk population. Nevertheless, the remaining high- $\alpha$  halo stars exhibit a well-defined trend that is clearly separated from that of the low- $\alpha$  stars.


#### 5. Discussion

As discussed in detail by Gilmore & Wyse (1998), the near-constancy of  $[\alpha/\text{Fe}]$  for the high- $\alpha$  and thick-disk stars suggests that they formed in regions with such a high star formation rate that only Type II SNe contributed to their chemical enrichment up to  $[\text{Fe}/\text{H}] \simeq -0.4$ . On the other hand, the low- $\alpha$  stars originate in regions with a relatively slow chemical evolution so that Type Ia SNe have started to contribute iron at  $[\text{Fe}/\text{H}] \simeq -1.5$  causing  $[\alpha/\text{Fe}]$  to decrease toward higher metallicities.

The distinction between the two halo populations is greater for  $[\text{Mg}/\text{Fe}]$  than for both  $[\text{Ca}/\text{Fe}]$  and  $[\text{Ti}/\text{Fe}]$ , probably because of different SNe Ia yields. According to Tsujimoto et al. (1995), the relative contributions of SNe Ia to the solar abundances are negligible for Mg, 17% for Si, 25% for Ca, and 57% for Fe.

As discussed by Venn et al. (2004), the yields of the neutron-rich isotopes  $^{23}\text{Na}$  and  $^{58}\text{Ni}$  from massive stars is controlled by the neutron excess, which depends on the initial heavy-element abundance (Arnett 1971). It would be interesting to investigate in more detail whether these dependences could explain the underabundances of Na and Ni in low- $\alpha$  stars and the correlation seen in Fig. 2.

As seen in the Toomre diagram, the high- $\alpha$  stars show evidence of being more bound to the Galaxy and favoring prograde Galactic orbits, while the low- $\alpha$  stars are less bound with two-thirds of them being on retrograde orbits. This suggests that the high- $\alpha$  population is connected to a dissipative component of the Galaxy that experienced rapid chemical evolution similar to that of the thick disk, whereas the low- $\alpha$  stars were accreted from dwarf galaxies that had lower star formation rates.



**Fig. 4.**  $[\text{Na}/\text{Fe}]$  versus  $U_{\text{LSR}}$  for stars with  $[\text{Fe}/\text{H}] > -1.4$ . The same symbols as in Fig. 3 are used.

Present-day dwarf spheroidal galaxies tend to have even lower values of  $[\alpha/\text{Fe}]$ ,  $[\text{Na}/\text{Fe}]$ , and  $[\text{Ni}/\text{Fe}]$  than the low- $\alpha$  halo stars for the range  $-1.6 < [\text{Fe}/\text{H}] < -0.8$  (Tolstoy et al. 2009). This offset agrees with the predictions of the simulations of a hierarchically formed stellar halo in a  $\Lambda$ CDM Universe by Font et al. (2006). The bulk of halo stars originate from early accreted, massive dwarf galaxies with efficient star formation, whereas surviving satellite galaxies in the outer halo are on average of lower mass and experience slower chemical evolution with a greater contribution from Type Ia SNe at a given metallicity. The predicted  $[\text{Mg}/\text{Fe}]$  versus  $[\text{Fe}/\text{H}]$  relation for the accreted halo stars agrees remarkably well with the trend for the low- $\alpha$  halo stars. However, Font et al. do not explain the existence of high- $\alpha$  halo stars. Two  $\Lambda$ CDM simulations suggest a dual origin of stars in the inner Galactic halo. Purcell et al. (2009) propose that ancient stars formed in the Galactic disk may be ejected into the halo by the merging of satellite galaxies, and Zolotov et al. (2009) find that stars formed out of accreted gas in the inner 1 kpc of the Galaxy can be displaced into the halo through a succession of mergers. Alternatively, the high- $\alpha$  population might have formed as the first stars in a dissipative collapse of a proto-Galactic gas cloud (Gilmore et al. 1989; Schuster et al. 2006, Sect. 8.2).

The retrograde low- $\alpha$  stars in Fig. 3 have an average Galactic rotation velocity of  $V_{\text{LSR}} \simeq -260 \text{ km s}^{-1}$ , which is close to that of the  $\omega$  Cen globular cluster (Dinescu et al. 1999). As often discussed (e.g., Bekki & Freeman 2003),  $\omega$  Cen is probably the nucleus of a captured satellite galaxy with its own chemical enrichment history. Meza et al. (2005) simulated the orbital characteristics of the tidal debris of such a satellite dragged into the Galactic plane by dynamical friction. The captured stars have rather small  $W$ -velocities but a wide, double-peaked  $U$ -distribution, similar to the  $W$ - $U$  distribution observed for the low- $\alpha$  halo (see Online Section). As shown in Fig. 4, stars with extreme  $U$  velocities tend to have the lowest  $[\text{Na}/\text{Fe}]$  values, which corroborates their having a special origin.

In support of a connection between low- $\alpha$  stars and  $\omega$  Cen, we note that stars in this globular cluster exhibit a wide range of  $[\text{Fe}/\text{H}]$  values and a decline in  $[\alpha/\text{Fe}]$  for metallicities above  $[\text{Fe}/\text{H}] \sim -1$  (Origlia et al. 2003). Johnson et al. (2009), on the other hand, find that  $[\text{Na}/\text{Fe}]$  in  $\omega$  Cen red giants increases from about  $-0.2$  dex at  $[\text{Fe}/\text{H}] \sim -1.7$  to  $+0.8$  dex at  $[\text{Fe}/\text{H}] \sim -1.0$ . A similar increase is not seen for the low- $\alpha$  halo stars. Enhancements of Na and a Na-O anticorrelation are present in all well-

studied globular clusters (Carretta et al. 2009) and may be caused by the chemical enrichment from intermediate-mass AGB stars undergoing hot-bottom hydrogen burning. According to the hydrodynamical simulations of D’Ercole et al. (2008), the gas ejected from these AGB stars collects in the cluster core via cooling flows, which may explain the difference in  $[\text{Na}/\text{Fe}]$  between stars remaining in  $\omega$  Cen itself and those originating in the progenitor galaxy.


We conclude that the derived abundance ratios provide clear evidence of two distinct populations of stars that are among the most metal-rich in the Galactic halo. The reason that previous studies have failed to detect this dichotomy may be ascribed to the lower precision of the abundances for less homogeneous samples of stars, and greater focus on metal-poor stars. The high- $\alpha$  stars may be ancient disk or bulge stars ‘heated’ to halo kinematics by merging satellite galaxies or they could be the first stars formed in a dissipative collapse of a proto-Galactic gas cloud. The low- $\alpha$  stars are probably accreted from dwarf galaxies, and some are likely to be associated with the  $\omega$  Cen progenitor galaxy. Further studies of possible correlations between the abundance ratios and orbital parameters of the stars may help us to clarify the origin of the two populations.

*Acknowledgements.* We thank the anonymous referee for comments and suggestions, which helped to improve this Letter significantly.


## References

- Arnett, W.D. 1971, *ApJ*, 166, 153
- Bekki, K., & Freeman, K.C. 2003, *MNRAS*, 346, L11
- Carollo, D., Beers, T.C., Lee, Y.S. et al. 2007, *Nature*, 450, 1020
- Carretta, E., Bragaglia, A., Gratton, R., & Lucatello, S. 2009, *A&A*, 505, 139
- D’Ercole, A., Vesperini, E., D’Antona F., McMillan S.L.W., & Recchi, S. 2008, *MNRAS*, 391, 825
- Dinescu, D.I., Girard, T.M., & van Altena, W.F. 1999, *AJ*, 117, 1792
- Eggen, O.J., Lynden-Bell, D., & Sandage, A.R. 1962, *ApJ*, 136, 748
- Font, A.S., Johnston, K.V., Bullock, J.S., & Robertson, B.E. 2006, *ApJ*, 638, 585
- Francis, C., & Anderson, E. 2009, *New Astronomy*, 14, 615
- Fulbright, J.P. 2002, *AJ*, 123, 404
- Gilmore, G. & Wyse, R.F.G. 1998, *AJ*, 116, 748
- Gilmore, G., Wyse, R.F.G., & Kuijken, K. 1989, *ARA&A*, 27, 555
- Gratton, R.G., Carretta, E., Desidera, S., et al. 2003, *A&A*, 406, 131
- Gustafsson, B., Edvardsson, B., Eriksson, K., et al. 2008, *A&A*, 486, 951
- Høg, E., Fabricius, C., Makarov, V.V. et al. 2000, *A&A*, 335, L27
- Johnson, C.I., Pilachowski, C.A., Rich, R.M., & Fulbright, J.P. 2009, *ApJ*, 698, 2048
- Johnson, D.R.H. & Soderblom, D.R. 1987, *AJ*, 93, 864
- Kurucz, R.L., Furenlid, I., Brault, J., & Testerman, L. 1984, *Solar Flux Atlas from 296 to 1300 nm*, National Solar Observatory, Sunspot, New Mexico
- Meza, A., Navarro, J.F., Abadi, M.G., & Steinmetz, M. 2005, *MNRAS*, 359, 93
- Nissen, P.E., Chen, Y.Q., Asplund, M., & Pettini, M. 2004, *A&A*, 415, 993
- Nissen, P.E., & Schuster, W.J. 1997, *A&A*, 326, 751
- Origlia, L., Ferraro, F.R., Bellazzini, M., & Pancino, E. 2003, *ApJ*, 591, 916
- Purcell, C.W., Bullock, J.S., & Kazantzidis S. 2009, *arXiv:0910.5481*
- Ramírez, I., & Meléndez, J. 2005, *ApJ*, 626, 465
- Salim, S., & Gould, A. 2003, *ApJ*, 582, 1011
- Schönrich, R., & Binney, J. 2009, *MNRAS*, 399, 1145
- Schuster, W.J., Beers, T.C., Michel, R., Nissen, P.E., & Garía, G. 2004, *A&A*, 422, 527
- Schuster, W.J., Moitinho, A., Márquez, A., Parrao, L., & Covarrubias, E. 2006, *A&A*, 445, 939
- Searle, L. & Zinn, R. 1978, *ApJ*, 225, 357
- Stephens, A., & Boesgaard, A.M. 2002, *AJ*, 123, 1647
- Tolstoy, E., Hill, V., & Tosi, M. 2009, *ARA&A*, 47, 371


- Tsujimoto, T., Nomoto, K., Yoshii, Y., et al. 1995, MNRAS, 277, 945  
van Leeuwen, F. 2007, Hipparcos, the New Reduction of the Raw Data, Astrophys. Space Sci. Library, vol. 350 (Springer)  
Venn, K.A., Irwin, M., Shetrone, M.D., et al. 2004, AJ, 128, 1177  
Zolotov, A., Willman, B., Brooks, A.M., et al. 2009, ApJ, 702, 1058




**Fig. 5.**  $[\text{Si}/\text{Fe}]$ ,  $[\text{Ca}/\text{Fe}]$ , and  $[\text{Ti}/\text{Fe}]$  as a function of  $[\text{Fe}/\text{H}]$ . The same symbols as in Fig. 1 are used.



**Fig. 6.**  $[\text{Na}/\text{Fe}]$ ,  $[\text{Cr}/\text{Fe}]$ , and  $[\text{Ni}/\text{Fe}]$  as a function of  $[\text{Fe}/\text{H}]$ . The same symbols as in Fig. 1 are used.



**Fig. 7.** UVES spectra of two stars with nearly the same atmospheric parameters  $T_{\text{eff}}$ ,  $\log g$ , and  $[\text{Fe}/\text{H}]$ . The spectrum of the low- $\alpha$  star CD -45 3283 ( $T_{\text{eff}} = 5597$  K,  $\log g = 4.55$ ,  $[\text{Fe}/\text{H}] = -0.91$ ,  $[\alpha/\text{Fe}] = 0.12$ ) is shown with a red line and that of the high- $\alpha$  star G 159-50 ( $T_{\text{eff}} = 5624$  K,  $\log g = 4.37$ ,  $[\text{Fe}/\text{H}] = -0.93$ ,  $[\alpha/\text{Fe}] = 0.31$ ) with a green line. The Fe lines have the same strength in the two spectra, but the Na, Mg, Si, and Ni lines are significantly weaker in the spectrum of the low- $\alpha$  star.



**Fig. 8.**  $W_{\text{LSR}}$  versus  $U_{\text{LSR}}$  for stars with  $[\text{Fe}/\text{H}] > -1.4$ . The same symbols as in Fig. 3 are used.



**Table 1.** UVES spectra acquired from the ESO/ST-ECF Science Archive.

| ID         | Program   | Date and UT      | $S/N$ | $RV^a$<br>( $\text{km s}^{-1}$ ) | $EW(\text{Na I D}_2)^b$<br>( $\text{m}\text{\AA}$ ) | $EW(\text{Na I D}_1)^b$<br>( $\text{m}\text{\AA}$ ) | Note <sup>c</sup> |
|------------|-----------|------------------|-------|----------------------------------|-----------------------------------------------------|-----------------------------------------------------|-------------------|
| BD-21 3420 | 76.B-0133 | 2006-01-14T08:28 | 300   | 7.9                              | < 3                                                 | < 3                                                 |                   |
| CD-33 3337 | 68.D-0094 | 2001-11-26T07:43 | 600   | 73.6                             | < 3                                                 | < 3                                                 |                   |
| CD-43 6810 | 70.D-0474 | 2002-12-07T07:58 | 330   | 159.2                            | 62                                                  | 53                                                  |                   |
| CD-45 3283 | 69.D-0679 | 2002-02-19T01:53 | 300   | 309.2                            | < 3                                                 | ?                                                   |                   |
| CD-51 4628 | 69.D-0679 | 2002-02-18T06:15 | 280   | 197.9                            | 15                                                  | 6                                                   |                   |
| CD-57 1633 | 69.D-0679 | 2002-02-19T01:27 | 450   | 260.7                            | < 3                                                 | ?                                                   |                   |
| CD-61 282  | 76.B-0133 | 2005-09-22T06:35 | 280   | 220.4                            | ?                                                   | 10 :                                                |                   |
| G05-19     | 76.B-0133 | 2005-10-15T05:21 | 300   | -216.2                           | 150                                                 | 130                                                 |                   |
| G05-40     | 68.B-0475 | 2001-10-08T06:25 | 450   | -117.6                           | 196                                                 | 165                                                 |                   |
| G18-28     | 76.B-0133 | 2005-10-13T00:13 | 300   | -203.1                           | < 3                                                 | < 3                                                 | SB1               |
| G18-39     | 71.B-0529 | 2003-08-19T07:26 | 480   | -234.1                           | 69                                                  | 38                                                  |                   |
| G20-15     | 71.B-0529 | 2003-08-11T03:08 | 500   | 84.3                             | 198                                                 | 172                                                 |                   |
| G46-31     | 76.B-0133 | 2005-12-24T03:59 | 300   | 220.9                            | < 3                                                 | < 3                                                 | SB1               |
| G63-26     | 72.B-0585 | 2004-03-23T06:52 | 240   | 57.4                             | 29 + 19                                             | 19 + 6                                              |                   |
| G66-22     | 69.D-0679 | 2002-02-18T08:57 | 250   | -145.2                           | 12                                                  | 6                                                   |                   |
| G82-05     | 69.D-0679 | 2002-02-16T01:22 | 300   | 296.0                            | < 3                                                 | < 3                                                 |                   |
| G112-43    | 69.D-0679 | 2002-02-17T02:13 | 340   | -83.7                            | 16                                                  | ?                                                   |                   |
| G112-44    | 70.D-0474 | 2002-12-31T04:56 | 350   | -84.3                            | 14                                                  | 7                                                   |                   |
| G114-42    | 69.D-0679 | 2002-02-17T02:58 | 250   | -86.4                            | 64                                                  | 37                                                  |                   |
| G121-12    | 76.B-0133 | 2006-01-14T07:14 | 300   | 197.4                            | < 3                                                 | < 3                                                 |                   |
| G188-22    | 71.B-0529 | 2003-08-09T06:08 | 450   | -93.9                            | 43                                                  | 18                                                  |                   |
| G159-50    | 76.B-0133 | 2005-10-14T04:17 | 340   | 28.0                             | < 3                                                 | < 3                                                 |                   |
| HD3567     | 68.B-0475 | 2001-10-08T04:19 | 650   | -47.8                            | < 3                                                 | < 3                                                 |                   |
| HD17820    | 76.B-0133 | 2005-10-13T06:39 | 400   | 6.3                              | < 3                                                 | < 3                                                 |                   |
| HD22879    | 68.D-0094 | 2001-11-26T03:27 | 450   | 121.0                            | < 3                                                 | < 3                                                 |                   |
| HD25704    | 68.D-0094 | 2001-11-28T08:24 | 500   | 56.0                             | < 3                                                 | < 3                                                 |                   |
| HD51754    | 76.B-0133 | 2005-11-10T08:23 | 300   | -94.0                            | < 3                                                 | < 3                                                 |                   |
| HD59392    | 67.D-0086 | 2001-03-07T03:53 | 410   | 268.4                            | < 3                                                 | < 3                                                 |                   |
| HD76932    | 67.D-0439 | 2001-04-10T23:35 | 600   | 119.9                            | < 3                                                 | < 3                                                 |                   |
| HD97320    | 65.L-0507 | 2000-04-09T02:09 | 460   | 53.5                             | < 3                                                 | < 3                                                 |                   |
| HD103723   | 65.L-0507 | 2000-04-10T02:11 | 500   | 168.3                            | 32                                                  | 18 :                                                |                   |
| HD105004   | 68.B-0475 | 2002-01-12T07:32 | 500   | 121.8                            | 40                                                  | 21                                                  |                   |
| HD106516   | 76.B-0133 | 2006-01-30T07:04 | 350   | 10.6                             | < 3                                                 | < 3                                                 | SB1               |
| HD111980   | 65.L-0507 | 2000-04-10T03:12 | 550   | 159.0                            | 16                                                  | ?                                                   | SB1               |
| HD113679   | 65.L-0507 | 2000-04-10T04:39 | 500   | 158.0                            | 42 :                                                | ?                                                   |                   |
| HD114762A  | 77.B-0507 | 2006-06-08T01:09 | 475   | 49.1                             | < 3                                                 | < 3                                                 | SB1               |
| HD120559   | 68.B-0475 | 2002-02-21T08:17 | 600   | 18.6                             | < 3                                                 | < 3                                                 |                   |
| HD121004   | 67.D-0439 | 2001-04-11T05:00 | 500   | 244.8                            | < 3                                                 | < 3                                                 |                   |
| HD126681   | 65.L-0507 | 2000-04-09T06:31 | 500   | -45.3                            | < 3                                                 | < 3                                                 |                   |
| HD132475   | 65.L-0507 | 2000-04-12T07:00 | 500   | 176.6                            | 28                                                  | 16                                                  |                   |
| HD148816   | 77.B-0507 | 2006-06-15T03:07 | 400   | -47.8                            | < 3                                                 | < 3                                                 |                   |
| HD163810   | 69.D-0679 | 2002-04-27T08:23 | 300   | 185.9                            | 81                                                  | 72                                                  |                   |
| HD175179   | 65.L-0507 | 2000-04-10T08:46 | 400   | 21.9                             | < 3                                                 | < 3                                                 |                   |
| HD179626   | 77.B-0507 | 2006-06-12T06:01 | 330   | -65.0                            | 43                                                  | 24                                                  |                   |
| HD189558   | 65.L-0507 | 2000-04-09T09:04 | 600   | -12.4                            | < 3                                                 | < 3                                                 |                   |
| HD193901   | 77.B-0507 | 2006-06-12T06:21 | 380   | -171.2                           | < 3                                                 | < 3                                                 |                   |
| HD194598   | 77.B-0507 | 2006-06-25T03:33 | 270   | -247.0                           | < 3                                                 | < 3                                                 |                   |
| HD199289   | 77.B-0507 | 2006-06-04T01:25 | 290   | -5.6                             | < 3                                                 | < 3                                                 |                   |
| HD205650   | 65.L-0507 | 2000-04-12T09:45 | 480   | -105.7                           | < 3                                                 | < 3                                                 |                   |
| HD219617   | 77.B-0507 | 2006-05-29T08:46 | 370   | 13.9                             | < 3                                                 | < 3                                                 |                   |
| HD222766   | 76.B-0133 | 2005-10-13T00:44 | 310   | -85.5                            | < 3                                                 | < 3                                                 |                   |
| HD241253   | 76.B-0133 | 2005-10-08T07:52 | 300   | -15.7                            | < 3                                                 | < 3                                                 |                   |
| HD284248   | 70.D-0474 | 2002-12-31T02:50 | 500   | 338.9                            | 71                                                  | 63                                                  |                   |

<sup>a</sup> Heliocentric radial velocity.<sup>b</sup> Equivalent widths of interstellar NaD lines. A question mark means that the line is so badly blended by a stellar or telluric line that it could not be measured.<sup>c</sup> Single-lined spectroscopic binaries according to the SIMBAD database are designated with SB1.

**Table 2.** Stars observed with the NOT/FIES spectrograph.

| ID                    | Program | Date and UT      | $S/N$ | $RV^a$<br>( $\text{km s}^{-1}$ ) | $EW(\text{Na I D}_2)^b$<br>( $\text{m}\text{\AA}$ ) | $EW(\text{Na I D}_1)^b$<br>( $\text{m}\text{\AA}$ ) | Note <sup>c</sup> |
|-----------------------|---------|------------------|-------|----------------------------------|-----------------------------------------------------|-----------------------------------------------------|-------------------|
| G05-36                | 38-013  | 2008-11-30T01:53 | 170   | −9.6                             | 189                                                 | 164                                                 |                   |
| G13-38                | 37-003  | 2008-05-14T23:55 | 160   | 153.4                            | < 5                                                 | < 5                                                 |                   |
| G15-23                | 37-003  | 2008-05-18T23:59 | 180   | −63.6                            | 53                                                  | 40                                                  |                   |
| G16-20                | 37-003  | 2008-05-15T01:55 | 185   | 170.8                            | 131                                                 | 95                                                  |                   |
| G20-15 <sup>d</sup>   | 37-003  | 2008-05-21T01:39 | 170   | 84.3                             | 206                                                 | 172                                                 |                   |
| G21-22                | 37-003  | 2008-05-16T19:24 | 160   | 59.9                             | 94                                                  | 69                                                  |                   |
| G24-13                | 37-003  | 2008-05-17T04:50 | 170   | 99.3                             | 110                                                 | 89                                                  |                   |
| G24-25                | 37-003  | 2008-05-21T03:12 | 160   | −312.9                           | ?                                                   | 166                                                 | SB1               |
| G31-55                | 38-013  | 2008-12-04T20:56 | 160   | −27.9                            | 30                                                  | 20                                                  |                   |
| G49-19                | 38-013  | 2008-11-30T14:06 | 180   | 75.5                             | 63                                                  | 46                                                  | SB1               |
| G53-41                | 38-013  | 2008-12-04T05:41 | 180   | 88.4                             | 48                                                  | 28                                                  |                   |
| G56-30                | 37-003  | 2008-05-20T23:48 | 185   | 27.9                             | < 5                                                 | < 5                                                 |                   |
| G56-36                | 37-003  | 2008-05-18T21:16 | 175   | 99.0                             | 23                                                  | 17                                                  |                   |
| G57-07                | 37-003  | 2008-05-14T22:27 | 170   | 28.6                             | 49                                                  | 36                                                  |                   |
| G74-32                | 38-013  | 2008-12-04T11:54 | 140   | 3.2                              | ?                                                   | ?                                                   |                   |
| G75-31                | 38-013  | 2008-11-29T23:56 | 170   | 57.7                             | 26                                                  | 14                                                  |                   |
| G81-02                | 38-013  | 2008-12-04T14:21 | 140   | 87.9                             | 120                                                 | 92                                                  |                   |
| G85-13                | 38-013  | 2008-12-02T02:36 | 160   | 174.3                            | < 5                                                 | < 5                                                 |                   |
| G87-13                | 38-013  | 2008-12-02T04:33 | 180   | 206.6                            | 105 + 94                                            | 67 + 48                                             |                   |
| G94-49                | 38-013  | 2008-12-02T00:30 | 170   | −163.9                           | < 5                                                 | < 5                                                 |                   |
| G96-20                | 38-013  | 2008-12-01T00:39 | 180   | 105.7                            | 28 :                                                | 12                                                  |                   |
| G98-53                | 38-013  | 2008-12-04T16:18 | 160   | 144.7                            | 136                                                 | 102                                                 |                   |
| G99-21                | 38-013  | 2008-12-03T19:42 | 140   | 128.4                            | < 5                                                 | < 5                                                 |                   |
| G119-64               | 37-003  | 2008-05-17T21:08 | 210   | −195.6                           | < 5                                                 | < 5                                                 |                   |
| G125-13               | 37-003  | 2008-05-19T02:49 | 175   | −175.9                           | 28                                                  | 18                                                  |                   |
| G127-26               | 38-013  | 2008-11-29T19:59 | 185   | −45.7                            | 116                                                 | 86                                                  |                   |
| G150-40               | 37-003  | 2008-05-17T08:10 | 170   | −50.5                            | 31                                                  | 14                                                  |                   |
| G161-73               | 37-003  | 2008-05-20T21:56 | 155   | 121.2                            | 134                                                 | 127                                                 |                   |
| G170-56               | 37-003  | 2008-05-18T01:42 | 180   | −239.9                           | 47                                                  | 27                                                  |                   |
| G172-61               | 38-013  | 2008-11-30T21:43 | 170   | −206.6                           | < 5                                                 | < 5                                                 | SB1               |
| G176-53               | 37-003  | 2008-05-17T22:24 | 170   | 64.9                             | < 5                                                 | < 5                                                 |                   |
| G180-24               | 37-003  | 2008-05-18T01:34 | 170   | −152.0                           | < 5                                                 | < 5                                                 |                   |
| G187-18               | 38-013  | 2008-12-01T19:15 | 170   | −122.4                           | 15                                                  | 8                                                   |                   |
| G192-43               | 38-013  | 2008-11-30T04:04 | 180   | 191.2                            | 49                                                  | 35                                                  |                   |
| G232-18               | 37-003  | 2008-05-20T04:50 | 200   | −261.2                           | < 5                                                 | < 5                                                 |                   |
| HD148816 <sup>d</sup> | 37-003  | 2008-05-16T01:33 | 200   | −47.3                            | < 5                                                 | < 5                                                 |                   |
| HD159482              | 37-003  | 2008-05-16T02:02 | 150   | −138.4                           | < 5                                                 | < 5                                                 |                   |
| HD160693              | 37-003  | 2008-05-15T05:11 | 160   | 34.5                             | ?                                                   | ?                                                   |                   |
| HD177095              | 37-003  | 2008-05-19T04:04 | 160   | 90.8                             | < 5                                                 | < 5                                                 |                   |
| HD179626 <sup>d</sup> | 37-003  | 2008-05-20T03:14 | 170   | −64.9                            | 46                                                  | 27                                                  |                   |
| HD189558 <sup>d</sup> | 37-003  | 2008-05-21T05:14 | 350   | −12.6                            | < 5                                                 | < 5                                                 |                   |
| HD193901 <sup>d</sup> | 37-003  | 2008-05-19T05:20 | 200   | −171.2                           | < 5                                                 | < 5                                                 |                   |
| HD194598 <sup>d</sup> | 37-003  | 2008-05-15T05:33 | 180   | −246.8                           | < 5                                                 | < 5                                                 |                   |
| HD230409              | 37-003  | 2008-05-15T03:54 | 165   | −1.9                             | < 5                                                 | < 5                                                 |                   |
| HD233511              | 38-013  | 2008-12-01T21:48 | 180   | 66.2                             | < 5                                                 | < 5                                                 |                   |
| HD237822              | 37-003  | 2008-05-18T22:20 | 175   | −2.3                             | < 5                                                 | < 5                                                 |                   |
| HD250792A             | 38-013  | 2008-12-01T02:17 | 160   | −191.3                           | < 5                                                 | < 5                                                 |                   |

<sup>a</sup> Heliocentric radial velocity.<sup>b</sup> Equivalent widths of interstellar NaD lines. A question mark means that the line is so badly blended by a stellar or telluric line that it could not be measured.<sup>c</sup> Single-lined spectroscopic binaries according to the SIMBAD database are designated with SB1.<sup>d</sup> UVES spectrum is also available.



**Table 3.** Atmospheric parameters, abundance ratios, and space velocities for stars with VLT/UVES spectra.

| ID         | $T_{\text{eff}}$<br>(K) | $\log g$ | $[\frac{\text{Fe}}{\text{H}}]$ | $\xi_{\text{turb}}$<br>(km/s) | $[\frac{\text{Na}}{\text{Fe}}]$ | $[\frac{\text{Mg}}{\text{Fe}}]$ | $[\frac{\text{Si}}{\text{Fe}}]$ | $[\frac{\text{Ca}}{\text{Fe}}]$ | $[\frac{\text{Ti}}{\text{Fe}}]$ | $[\frac{\text{Cr}}{\text{Fe}}]$ | $[\frac{\text{Ni}}{\text{Fe}}]$ | $U_{\text{LSR}}$<br>(km/s) | $V_{\text{LSR}}$<br>(km/s) | $W_{\text{LSR}}$<br>(km/s) | Class <sup>a</sup> |
|------------|-------------------------|----------|--------------------------------|-------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----------------------------|----------------------------|----------------------------|--------------------|
| BD-21 3420 | 5808                    | 4.26     | -1.13                          | 1.3                           | -0.01                           | 0.32                            | 0.36                            | 0.30                            | 0.24                            | -0.03                           | -0.01                           | -19                        | -87                        | -92                        | TD                 |
| CD-33 3337 | 5979                    | 3.86     | -1.36                          | 1.7                           | 0.13                            | 0.32                            | 0.28                            | 0.30                            | 0.30                            | -0.02                           | 0.00                            | 14                         | -42                        | -109                       | TD                 |
| CD-43 6810 | 5945                    | 4.26     | -0.43                          | 1.3                           | 0.15                            | 0.28                            | 0.23                            | 0.21                            | 0.19                            | 0.03                            | 0.01                            | 102                        | -159                       | -89                        | high- $\alpha$     |
| CD-45 3283 | 5597                    | 4.55     | -0.91                          | 1.0                           | -0.33                           | 0.08                            | 0.13                            | 0.19                            | 0.08                            | -0.01                           | -0.14                           | -340                       | -213                       | -99                        | low- $\alpha$      |
| CD-51 4628 | 6153                    | 4.31     | -1.30                          | 1.4                           | -0.26                           | 0.13                            | 0.19                            | 0.31                            | 0.24                            | 0.00                            | -0.10                           | 266                        | -129                       | 175                        | low- $\alpha$      |
| CD-57 1633 | 5873                    | 4.28     | -0.90                          | 1.2                           | -0.33                           | 0.03                            | 0.06                            | 0.16                            | 0.03                            | -0.04                           | -0.19                           | -329                       | -240                       | -28                        | low- $\alpha$      |
| CD-61 282  | 5759                    | 4.31     | -1.23                          | 1.3                           | -0.20                           | 0.21                            | 0.20                            | 0.28                            | 0.17                            | -0.02                           | -0.10                           | 293                        | -284                       | 7                          | low- $\alpha$      |
| G05-19     | 5854                    | 4.26     | -1.18                          | 1.3                           | -0.25                           | 0.18                            | 0.17                            | 0.26                            | 0.14                            | -0.05                           | -0.13                           | 302                        | -274                       | -89                        | low- $\alpha$      |
| G05-40     | 5795                    | 4.17     | -0.81                          | 1.2                           | 0.12                            | 0.35                            | 0.31                            | 0.31                            | 0.25                            | 0.03                            | 0.00                            | 137                        | -218                       | -86                        | high- $\alpha$     |
| G18-28     | 5372                    | 4.41     | -0.83                          | 1.0                           | 0.06                            | 0.36                            | 0.30                            | 0.29                            | 0.27                            | 0.05                            | 0.00                            | -29                        | -214                       | 32                         | high- $\alpha$     |
| G18-39     | 6040                    | 4.21     | -1.39                          | 1.5                           | -0.06                           | 0.35                            | 0.29                            | 0.39                            | 0.31                            | -0.01                           | -0.05                           | -193                       | -257                       | -19                        | high- $\alpha$     |
| G20-15     | 6027                    | 4.32     | -1.49                          | 1.6                           | -0.18                           | 0.22                            | 0.23                            | 0.29                            | 0.24                            | -0.03                           | -0.05                           | 161                        | -60                        | -210                       | (low- $\alpha$ )   |
| G46-31     | 5901                    | 4.23     | -0.83                          | 1.4                           | -0.13                           | 0.15                            | 0.13                            | 0.20                            | 0.11                            | -0.03                           | -0.12                           | 23                         | -310                       | 56                         | low- $\alpha$      |
| G63-26     | 6043                    | 4.18     | -1.56                          | 1.8                           | -0.08                           | 0.35                            | 0.49                            | 0.37                            | 0.28                            | -0.01                           | 0.06                            | 90                         | -332                       | 43                         | (high- $\alpha$ )  |
| G66-22     | 5236                    | 4.41     | -0.86                          | 0.9                           | -0.38                           | 0.08                            | 0.09                            | 0.22                            | 0.10                            | 0.03                            | -0.14                           | -268                       | -191                       | 16                         | low- $\alpha$      |
| G82-05     | 5277                    | 4.45     | -0.75                          | 0.9                           | -0.41                           | 0.06                            | 0.05                            | 0.18                            | 0.08                            | 0.02                            | -0.16                           | -357                       | -180                       | 53                         | low- $\alpha$      |
| G112-43    | 6074                    | 4.03     | -1.25                          | 1.3                           | -0.11                           | 0.21                            | 0.15                            | 0.29                            | 0.29                            | 0.00                            | -0.02                           | 145                        | -119                       | -293                       | low- $\alpha$      |
| G112-44    | 5819                    | 4.25     | -1.29                          | 1.2                           | -0.12                           | 0.22                            | 0.20                            | 0.26                            | 0.22                            | -0.01                           | -0.02                           | 138                        | -109                       | -293                       | low- $\alpha$      |
| G114-42    | 5643                    | 4.38     | -1.10                          | 1.3                           | -0.18                           | 0.18                            | 0.22                            | 0.24                            | 0.13                            | -0.02                           | -0.09                           | 377                        | -189                       | -80                        | low- $\alpha$      |
| G121-12    | 5928                    | 4.23     | -0.93                          | 1.4                           | -0.30                           | 0.03                            | 0.10                            | 0.19                            | 0.08                            | -0.04                           | -0.19                           | -350                       | -202                       | 99                         | low- $\alpha$      |
| G188-22    | 5974                    | 4.18     | -1.32                          | 1.5                           | -0.04                           | 0.39                            | 0.37                            | 0.37                            | 0.28                            | -0.04                           | -0.01                           | 193                        | -99                        | 71                         | high- $\alpha$     |
| G159-50    | 5624                    | 4.37     | -0.93                          | 1.1                           | 0.02                            | 0.38                            | 0.31                            | 0.32                            | 0.24                            | 0.02                            | 0.00                            | -202                       | -192                       | 67                         | high- $\alpha$     |
| HD3567     | 6051                    | 4.02     | -1.16                          | 1.5                           | -0.24                           | 0.14                            | 0.17                            | 0.31                            | 0.22                            | -0.05                           | -0.13                           | 164                        | -259                       | -51                        | low- $\alpha$      |
| HD17820    | 5773                    | 4.22     | -0.67                          | 1.3                           | 0.13                            | 0.35                            | 0.30                            | 0.27                            | 0.25                            | 0.02                            | 0.03                            | 42                         | -85                        | -70                        | TD                 |
| HD22879    | 5759                    | 4.25     | -0.85                          | 1.3                           | 0.10                            | 0.36                            | 0.32                            | 0.30                            | 0.25                            | 0.00                            | 0.00                            | -104                       | -76                        | -37                        | TD                 |
| HD25704    | 5868                    | 4.26     | -0.85                          | 1.4                           | 0.08                            | 0.32                            | 0.25                            | 0.22                            | 0.19                            | -0.01                           | 0.00                            | -119                       | -53                        | -2                         | TD                 |
| HD51754    | 5767                    | 4.29     | -0.58                          | 1.4                           | 0.11                            | 0.33                            | 0.25                            | 0.24                            | 0.21                            | 0.02                            | 0.03                            | 232                        | -150                       | 13                         | high- $\alpha$     |
| HD59392    | 6012                    | 3.91     | -1.60                          | 1.9                           | -0.15                           | 0.28                            | 0.27                            | 0.38                            | 0.33                            | 0.00                            | -0.01                           | 115                        | -307                       | -25                        | (low- $\alpha$ )   |
| HD76932    | 5877                    | 4.13     | -0.87                          | 1.4                           | 0.10                            | 0.34                            | 0.28                            | 0.30                            | 0.25                            | 0.01                            | 0.00                            | -41                        | -77                        | 76                         | TD                 |
| HD97320    | 6008                    | 4.19     | -1.17                          | 1.6                           | 0.10                            | 0.34                            | 0.28                            | 0.26                            | 0.23                            | -0.04                           | 0.00                            | 80                         | -11                        | -30                        | TD                 |
| HD103723   | 5938                    | 4.19     | -0.80                          | 1.2                           | -0.17                           | 0.10                            | 0.11                            | 0.21                            | 0.12                            | -0.04                           | -0.14                           | -72                        | -193                       | 58                         | low- $\alpha$      |
| HD105004   | 5754                    | 4.30     | -0.82                          | 1.2                           | -0.05                           | 0.17                            | 0.14                            | 0.17                            | 0.07                            | -0.03                           | -0.06                           | -44                        | -239                       | -92                        | low- $\alpha$      |
| HD106516   | 6196                    | 4.42     | -0.68                          | 1.3                           | 0.16                            | 0.34                            | 0.30                            | 0.26                            | 0.25                            | 0.00                            | 0.02                            | 62                         | -61                        | -50                        | TD                 |
| HD111980   | 5778                    | 3.96     | -1.08                          | 1.5                           | 0.03                            | 0.36                            | 0.40                            | 0.34                            | 0.25                            | -0.02                           | 0.00                            | 239                        | -174                       | -57                        | high- $\alpha$     |
| HD113679   | 5672                    | 3.99     | -0.65                          | 1.4                           | 0.15                            | 0.37                            | 0.33                            | 0.32                            | 0.26                            | 0.02                            | 0.03                            | -96                        | -278                       | 3                          | high- $\alpha$     |
| HD114762A  | 5856                    | 4.21     | -0.70                          | 1.5                           | 0.14                            | 0.29                            | 0.25                            | 0.22                            | 0.19                            | 0.01                            | 0.00                            | -71                        | -53                        | 64                         | TD                 |
| HD120559   | 5412                    | 4.50     | -0.89                          | 1.1                           | 0.08                            | 0.36                            | 0.28                            | 0.27                            | 0.28                            | 0.05                            | 0.03                            | -19                        | -38                        | -30                        | TD                 |
| HD121004   | 5669                    | 4.37     | -0.70                          | 1.3                           | 0.10                            | 0.36                            | 0.31                            | 0.32                            | 0.28                            | 0.02                            | 0.01                            | 70                         | -242                       | 105                        | high- $\alpha$     |
| HD126681   | 5507                    | 4.45     | -1.17                          | 1.2                           | -0.06                           | 0.38                            | 0.42                            | 0.34                            | 0.25                            | 0.02                            | -0.01                           | -15                        | -28                        | -64                        | TD                 |
| HD132475   | 5646                    | 3.76     | -1.49                          | 1.5                           | -0.02                           | 0.41                            | 0.51                            | 0.37                            | 0.24                            | -0.03                           | 0.01                            | 44                         | -371                       | 60                         | (high- $\alpha$ )  |
| HD148816   | 5823                    | 4.13     | -0.73                          | 1.4                           | 0.14                            | 0.32                            | 0.29                            | 0.25                            | 0.22                            | 0.00                            | 0.03                            | 98                         | -260                       | -73                        | high- $\alpha$     |
| HD163810   | 5501                    | 4.56     | -1.20                          | 1.3                           | -0.22                           | 0.18                            | 0.17                            | 0.28                            | 0.22                            | 0.02                            | -0.10                           | 254                        | -193                       | 37                         | low- $\alpha$      |
| HD175179   | 5713                    | 4.33     | -0.65                          | 1.2                           | 0.13                            | 0.34                            | 0.28                            | 0.28                            | 0.25                            | 0.03                            | 0.01                            | 96                         | -102                       | -19                        | TD                 |
| HD179626   | 5850                    | 4.13     | -1.04                          | 1.6                           | 0.07                            | 0.35                            | 0.30                            | 0.32                            | 0.26                            | 0.01                            | -0.04                           | 91                         | -215                       | 45                         | high- $\alpha$     |
| HD189558   | 5617                    | 3.80     | -1.12                          | 1.4                           | -0.04                           | 0.36                            | 0.36                            | 0.35                            | 0.26                            | -0.02                           | 0.00                            | 80                         | -109                       | 48                         | TD                 |
| HD193901   | 5656                    | 4.36     | -1.09                          | 1.3                           | -0.27                           | 0.13                            | 0.18                            | 0.23                            | 0.11                            | -0.04                           | -0.14                           | -148                       | -233                       | -66                        | low- $\alpha$      |
| HD194598   | 5942                    | 4.33     | -1.09                          | 1.4                           | -0.12                           | 0.18                            | 0.18                            | 0.22                            | 0.13                            | -0.04                           | -0.09                           | -65                        | -267                       | -29                        | low- $\alpha$      |
| HD199289   | 5810                    | 4.28     | -1.04                          | 1.3                           | 0.08                            | 0.36                            | 0.31                            | 0.27                            | 0.24                            | -0.02                           | 0.02                            | -32                        | -55                        | -19                        | TD                 |
| HD205650   | 5698                    | 4.32     | -1.17                          | 1.3                           | 0.09                            | 0.36                            | 0.32                            | 0.28                            | 0.23                            | -0.02                           | 0.00                            | -114                       | -71                        | 18                         | TD                 |
| HD219617   | 5862                    | 4.28     | -1.45                          | 1.5                           | -0.17                           | 0.26                            | 0.35                            | 0.31                            | 0.20                            | -0.05                           | -0.08                           | 228                        | -174                       | -32                        | (low- $\alpha$ )   |
| HD222766   | 5334                    | 4.27     | -0.67                          | 0.8                           | 0.06                            | 0.35                            | 0.28                            | 0.31                            | 0.28                            | 0.07                            | 0.01                            | -179                       | -173                       | 0                          | high- $\alpha$     |
| HD241253   | 5831                    | 4.31     | -1.10                          | 1.3                           | 0.04                            | 0.32                            | 0.31                            | 0.30                            | 0.24                            | -0.02                           | -0.01                           | 18                         | -74                        | 91                         | TD                 |
| HD284248   | 6135                    | 4.25     | -1.57                          | 1.6                           | -0.24                           | 0.22                            | 0.23                            | 0.32                            | 0.29                            | -0.07                           | -0.07                           | -349                       | -150                       | -70                        | (low- $\alpha$ )   |

<sup>a</sup> Classification as thick disk (TD), low- $\alpha$ , or high- $\alpha$ . For halo stars with  $[\text{Fe}/\text{H}] < -1.4$ , the classification is uncertain and given in parentheses.

**Table 4.** Atmospheric parameters, abundance ratios, and space velocities for stars with NOT/FIES spectra.

| ID                    | $T_{\text{eff}}$<br>(K) | $\log g$ | $[\text{Fe}/\text{H}]$ | $\xi_{\text{turb}}$<br>(km/s) | $[\text{Na}/\text{Fe}]$ | $[\text{Mg}/\text{Fe}]$ | $[\text{Si}/\text{Fe}]$ | $[\text{Ca}/\text{Fe}]$ | $[\text{Ti}/\text{Fe}]$ | $[\text{Cr}/\text{Fe}]$ | $[\text{Ni}/\text{Fe}]$ | $U_{\text{LSR}}$<br>(km/s) | $V_{\text{LSR}}$<br>(km/s) | $W_{\text{LSR}}$<br>(km/s) | Class <sup>a</sup> |
|-----------------------|-------------------------|----------|------------------------|-------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|----------------------------|----------------------------|----------------------------|--------------------|
| G05-36                | 6013                    | 4.23     | -1.23                  | 1.4                           | -0.01                   | 0.33                    | 0.37                    | 0.38                    | 0.34                    | -0.01                   | -0.01                   | -41                        | -297                       | -60                        | high- $\alpha$     |
| G13-38                | 5263                    | 4.54     | -0.88                  | 0.9                           | 0.05                    | 0.35                    | 0.31                    | 0.30                    | 0.32                    | 0.06                    | 0.00                    | 109                        | -143                       | 89                         | high- $\alpha$     |
| G15-23                | 5297                    | 4.57     | -1.10                  | 1.0                           | -0.02                   | 0.40                    | 0.33                    | 0.32                    | 0.33                    | 0.06                    | -0.01                   | 19                         | -176                       | -57                        | high- $\alpha$     |
| G16-20                | 5625                    | 3.64     | -1.42                  | 1.5                           | -0.13                   | 0.22                    | 0.33                    | 0.32                    | 0.19                    | -0.07                   | 0.01                    | 208                        | -143                       | 75                         | (low- $\alpha$ )   |
| G20-15 <sup>b</sup>   | 6072                    | 4.36     | -1.41                  | 1.1                           | -0.23                   | 0.20                    | 0.15                    | 0.25                    | 0.22                    | -0.03                   | -0.05                   | 161                        | -60                        | -210                       | (low- $\alpha$ )   |
| G21-22                | 5901                    | 4.24     | -1.09                  | 1.4                           | -0.26                   | 0.09                    | 0.07                    | 0.17                    | 0.03                    | -0.02                   | -0.16                   | 247                        | -258                       | -31                        | low- $\alpha$      |
| G24-13                | 5673                    | 4.31     | -0.72                  | 1.0                           | 0.08                    | 0.34                    | 0.27                    | 0.29                    | 0.25                    | 0.02                    | 0.01                    | 164                        | -38                        | -128                       | high- $\alpha$     |
| G24-25                | 5828                    | 3.86     | -1.40                  | 1.2                           | -0.03                   | 0.34                    | 0.41                    | 0.32                    | 0.31                    | -0.04                   | 0.00                    | -197                       | -242                       | 43                         | (high- $\alpha$ )  |
| G31-55                | 5638                    | 4.30     | -1.10                  | 1.4                           | 0.07                    | 0.28                    | 0.33                    | 0.29                    | 0.25                    | 0.05                    | 0.01                    | -23                        | -184                       | -45                        | high- $\alpha$     |
| G49-19                | 5772                    | 4.25     | -0.55                  | 1.2                           | 0.12                    | 0.30                    | 0.27                    | 0.28                    | 0.23                    | 0.04                    | 0.02                    | 37                         | -236                       | 58                         | high- $\alpha$     |
| G53-41                | 5859                    | 4.27     | -1.20                  | 1.3                           | 0.23                    | 0.24                    | 0.24                    | 0.31                    | 0.14                    | -0.03                   | -0.09                   | -31                        | -299                       | -150                       | low- $\alpha$      |
| G56-30                | 5830                    | 4.26     | -0.89                  | 1.3                           | -0.19                   | 0.10                    | 0.12                    | 0.17                    | 0.06                    | -0.03                   | -0.16                   | 32                         | -283                       | -53                        | low- $\alpha$      |
| G56-36                | 5933                    | 4.28     | -0.94                  | 1.4                           | -0.06                   | 0.19                    | 0.19                    | 0.25                    | 0.17                    | -0.02                   | -0.08                   | -105                       | -247                       | 8                          | low- $\alpha$      |
| G57-07                | 5676                    | 4.25     | -0.47                  | 1.1                           | 0.12                    | 0.34                    | 0.29                    | 0.29                    | 0.30                    | 0.05                    | 0.05                    | -73                        | -162                       | -50                        | high- $\alpha$     |
| G74-32                | 5772                    | 4.36     | -0.72                  | 1.1                           | 0.10                    | 0.37                    | 0.29                    | 0.30                    | 0.26                    | 0.02                    | 0.02                    | -143                       | -151                       | 74                         | high- $\alpha$     |
| G75-31                | 6010                    | 4.02     | -1.03                  | 1.4                           | -0.19                   | 0.12                    | 0.17                    | 0.31                    | 0.19                    | -0.06                   | -0.13                   | -259                       | -206                       | 109                        | low- $\alpha$      |
| G81-02                | 5859                    | 4.19     | -0.69                  | 1.3                           | 0.06                    | 0.25                    | 0.19                    | 0.20                    | 0.11                    | -0.01                   | -0.04                   | -175                       | -201                       | 18                         | high- $\alpha$     |
| G85-13                | 5628                    | 4.38     | -0.59                  | 1.0                           | 0.13                    | 0.33                    | 0.28                    | 0.27                    | 0.25                    | 0.04                    | 0.03                    | -184                       | -43                        | 35                         | high- $\alpha$     |
| G87-13                | 6085                    | 4.13     | -1.09                  | 1.5                           | -0.25                   | 0.10                    | 0.18                    | 0.32                    | 0.22                    | -0.04                   | -0.12                   | -201                       | -286                       | 15                         | low- $\alpha$      |
| G94-49                | 5373                    | 4.50     | -0.80                  | 1.1                           | 0.06                    | 0.34                    | 0.32                    | 0.29                    | 0.28                    | 0.03                    | 0.01                    | 172                        | -96                        | -2                         | high- $\alpha$     |
| G96-20                | 6293                    | 4.41     | -0.89                  | 1.5                           | 0.13                    | 0.30                    | 0.30                    | 0.27                    | 0.25                    | -0.06                   | 0.00                    | -128                       | -91                        | 118                        | high- $\alpha$     |
| G98-53                | 5848                    | 4.23     | -0.87                  | 1.3                           | -0.07                   | 0.20                    | 0.17                    | 0.25                    | 0.12                    | 0.01                    | -0.09                   | -156                       | -263                       | -96                        | low- $\alpha$      |
| G99-21                | 5487                    | 4.39     | -0.67                  | 0.9                           | 0.11                    | 0.33                    | 0.27                    | 0.29                    | 0.26                    | 0.05                    | 0.02                    | -64                        | -182                       | 22                         | high- $\alpha$     |
| G119-64               | 6181                    | 4.18     | -1.48                  | 1.5                           | -0.15                   | 0.25                    | 0.21                    | 0.37                    | 0.29                    | -0.01                   | -0.06                   | 237                        | -291                       | -120                       | (low- $\alpha$ )   |
| G125-13               | 5848                    | 4.28     | -1.43                  | 1.5                           | -0.17                   | 0.30                    | 0.28                    | 0.30                    | 0.20                    | -0.09                   | -0.09                   | 215                        | -228                       | -157                       | (high- $\alpha$ )  |
| G127-26               | 5791                    | 4.14     | -0.53                  | 1.2                           | 0.10                    | 0.31                    | 0.22                    | 0.22                    | 0.20                    | 0.03                    | 0.00                    | 171                        | -83                        | -50                        | high- $\alpha$     |
| G150-40               | 5968                    | 4.09     | -0.81                  | 1.4                           | 0.28                    | 0.14                    | 0.19                    | 0.19                    | 0.12                    | 0.01                    | -0.08                   | -63                        | -318                       | 14                         | low- $\alpha$      |
| G161-73               | 5986                    | 4.00     | -1.00                  | 1.4                           | -0.36                   | 0.13                    | 0.13                    | 0.25                    | 0.14                    | -0.06                   | -0.15                   | 228                        | -250                       | 42                         | low- $\alpha$      |
| G170-56               | 5994                    | 4.12     | -0.92                  | 1.5                           | -0.11                   | 0.17                    | 0.14                    | 0.24                    | 0.12                    | -0.02                   | -0.11                   | -52                        | -289                       | -29                        | low- $\alpha$      |
| G172-61               | 5225                    | 4.47     | -1.00                  | 0.9                           | -0.18                   | 0.16                    | 0.17                    | 0.26                    | 0.16                    | 0.04                    | -0.10                   | -14                        | -267                       | 57                         | low- $\alpha$      |
| G176-53               | 5523                    | 4.48     | -1.34                  | 1.0                           | -0.36                   | 0.15                    | 0.15                    | 0.25                    | 0.15                    | -0.01                   | -0.12                   | -230                       | -271                       | 61                         | low- $\alpha$      |
| G180-24               | 6004                    | 4.21     | -1.39                  | 1.5                           | -0.14                   | 0.31                    | 0.31                    | 0.39                    | 0.31                    | 0.03                    | -0.04                   | 111                        | -245                       | -21                        | high- $\alpha$     |
| G187-18               | 5607                    | 4.39     | -0.67                  | 1.1                           | 0.06                    | 0.29                    | 0.26                    | 0.26                    | 0.23                    | 0.02                    | 0.00                    | 109                        | -130                       | 72                         | high- $\alpha$     |
| G192-43               | 6170                    | 4.29     | -1.34                  | 1.5                           | -0.21                   | 0.19                    | 0.23                    | 0.33                    | 0.29                    | -0.05                   | -0.09                   | -327                       | -224                       | -15                        | low- $\alpha$      |
| G232-18               | 5559                    | 4.48     | -0.93                  | 1.3                           | -0.06                   | 0.35                    | 0.34                    | 0.34                    | 0.26                    | 0.05                    | 0.00                    | 72                         | -242                       | 99                         | high- $\alpha$     |
| HD148816 <sup>b</sup> | 5840                    | 4.14     | -0.70                  | 1.4                           | 0.14                    | 0.32                    | 0.27                    | 0.26                    | 0.20                    | 0.02                    | 0.02                    | 98                         | -260                       | -73                        | high- $\alpha$     |
| HD159482              | 5737                    | 4.31     | -0.73                  | 1.3                           | 0.15                    | 0.34                    | 0.32                    | 0.30                    | 0.25                    | 0.05                    | 0.02                    | -164                       | -47                        | 95                         | high- $\alpha$     |
| HD160693              | 5714                    | 4.27     | -0.49                  | 1.1                           | 0.05                    | 0.24                    | 0.19                    | 0.21                    | 0.14                    | -0.01                   | -0.01                   | 215                        | -105                       | 92                         | high- $\alpha$     |
| HD177095              | 5349                    | 4.39     | -0.74                  | 0.9                           | 0.05                    | 0.38                    | 0.30                    | 0.31                    | 0.28                    | 0.02                    | 0.01                    | 140                        | -138                       | -23                        | high- $\alpha$     |
| HD179626 <sup>b</sup> | 5855                    | 4.19     | -1.00                  | 1.4                           | 0.06                    | 0.36                    | 0.32                    | 0.34                    | 0.26                    | 0.03                    | -0.05                   | 91                         | -215                       | 45                         | high- $\alpha$     |
| HD189558 <sup>b</sup> | 5623                    | 3.81     | -1.12                  | 1.4                           | -0.01                   | 0.38                    | 0.38                    | 0.36                    | 0.27                    | -0.01                   | 0.01                    | 80                         | -109                       | 48                         | TD                 |
| HD193901 <sup>b</sup> | 5676                    | 4.41     | -1.07                  | 1.4                           | -0.30                   | 0.17                    | 0.16                    | 0.23                    | 0.11                    | -0.04                   | -0.14                   | -148                       | -233                       | -66                        | low- $\alpha$      |
| HD194598 <sup>b</sup> | 5926                    | 4.32     | -1.08                  | 1.4                           | -0.10                   | 0.23                    | 0.21                    | 0.22                    | 0.14                    | -0.03                   | -0.09                   | -65                        | -267                       | -29                        | low- $\alpha$      |
| HD230409              | 5318                    | 4.54     | -0.85                  | 1.1                           | 0.05                    | 0.30                    | 0.25                    | 0.26                    | 0.26                    | 0.06                    | 0.00                    | 164                        | -114                       | -4                         | high- $\alpha$     |
| HD233511              | 6006                    | 4.23     | -1.55                  | 1.3                           | -0.19                   | 0.36                    | 0.28                    | 0.40                    | 0.30                    | -0.05                   | -0.05                   | -131                       | -243                       | 31                         | (high- $\alpha$ )  |
| HD237822              | 5603                    | 4.33     | -0.45                  | 1.1                           | 0.15                    | 0.35                    | 0.26                    | 0.28                    | 0.26                    | 0.04                    | 0.05                    | 81                         | -131                       | 131                        | high- $\alpha$     |
| HD250792A             | 5489                    | 4.47     | -1.01                  | 1.1                           | -0.18                   | 0.23                    | 0.13                    | 0.33                    | 0.26                    | 0.04                    | -0.12                   | 245                        | -237                       | 104                        | low- $\alpha$      |

<sup>a</sup> Classification as thick disk (TD), low- $\alpha$ , or high- $\alpha$ . For halo stars with  $[\text{Fe}/\text{H}] < -1.4$ , the classification is uncertain and given in parentheses.<sup>b</sup> Data are also available from UVES spectra (see Table 3). In the figures, abundance data based on the UVES spectra are plotted.